

AMENDMENTS TO THE CLAIMS

The following claims are *pending*: 1, 2, 4, 5, 8-10, 15 and 16.

The following claims have previously been *cancelled* without prejudice or disclaimer: 3, 6, 7, 11-14, 17 and 18 .

The following claims are *independent*: 1, 15 and 16.

Please *amend* claims 1, 10, 15 and 16 as follows per the listing of claims, below; as such, this listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS

1. (Currently Amended) A computer implemented method for managing security risk, the method comprising:

setting, in a computer storage, a hierarchical relationship between ~~two or more~~ multiple elements comprising an entity wherein a first element of a first hierarchical level comprises a physical facility and other of the multiple elements each have a second element ~~of a second~~ hierarchical level subordinate to the first element and comprises one of a facility, a resource, and an asset located at the physical facility of the first element;

receiving into the computer storage, on a real time basis, an indication of a security risk ~~associated with one or more of the first or second elements~~, wherein the indication of a security risk comprises at least one of: a potential for physical, reputational, economic or legal harm and is received from government agency or a news feed; ~~and wherein the security risk associated with the one or more of the first or second elements is also associated with the corresponding hierarchical level of the one or more of the first or second elements;~~

receiving into the computer storage an indication of a first selection of one of the first or the ~~second~~ other multiple elements;

~~relating~~ associating the received indication of a security risk ~~[[to]]~~ with the first selected element such that the hierarchical level of the first selected element is related to certain aspects of the received indication of security risk;

transmitting via a computer processor coupled to a communication network apparatus, a description of the security risk as it relates to the first selected element, wherein the relationship between the received indication of a security risk and the first selected element is based upon the hierarchical relationship of the first and the ~~second~~ other of the multiple elements and the indication of the security risk associated with the corresponding hierarchical levels of the first and the second other elements;

receiving into the computer storage an indication of a second selection of one of the first or the ~~second~~ other of the multiple elements, wherein the second selection is different than the first selection;

~~relating~~ associating the received indication of a security risk to the second selected element such that the hierarchical level of the second selected element is related to certain aspects of the received indication of security risk;

transmitting via the computer processor coupled to a communication network apparatus, a description of the security risk as it relates to the second selected element, wherein the relationship between the received indication of a security risk and the second selected element is based upon the hierarchical relationship of the first and the ~~second~~ other of the multiple elements and the indication of the security risk, thereby providing a mechanism for a user to traverse between the first and ~~second~~ the other of the multiple elements based on the hierarchical relationship between the ~~two or more~~ multiple elements

and be presented with the aspects of the security risk associated with the first and the other of the multiple elements and their hierarchical level.

2. (Previously Presented) The method of claim 1 further comprising generating a list of resources associated with the first selected element and the second selected element.

3. (Canceled)

4. (Previously Presented) The method of claim 1 wherein the description of the security risk as it relates to the one or more of the first and second selected elements comprises at least one of: a threat of physical harm to an asset; a threat of misappropriation of an asset; and a threat of physical harm to one or more persons.

5. (Previously Presented) The method of claim 1 wherein the description of the security risk as it relates to the element selected comprises misappropriation of information comprising data stored in a computerized information system.

6. (Canceled)

7. (Canceled)

8. (Previously Presented) The method of claim 1 wherein the hierarchical relationship between the two or more elements comprises a progressively greater or lesser resolution ranging from a country level resolution to a room level resolution.

9. (Previously Presented) The method of claim 1 further comprising receiving into the computer storage an image of an element and transmitting the image with the description of the security risk as it relates to the first selected element and the second selected element.

10. (Currently amended) The method of claim 1 further comprising:
color coding elements and associated risks with a computer processor and storing
and indication of the coded elements and associated risks in the computer storage, according to

at least one of: a degree of risk, a type of risk, a type of element; a value of assets involved; and propensity for the risk to grow.

11 — 14. (Canceled)

15. (Currently Amended) A computerized system for ~~[[or]]~~ managing security risk, the system comprising:

a computer server accessible with a system access device via a communications network; and

executable software stored on the server and executable on demand, the software operative with the server to cause the server to:

set a hierarchical relationship in a computer storage between ~~two or more~~ multiple elements comprising an entity wherein a first element of a first hierarchical level comprises a physical facility and ~~a second element of a second~~ other of the multiple elements each has a hierarchical level subordinate to the first element and comprises one of a facility, a resource, and an asset located at the physical facility of the first element;

receive into the computer storage an indication of a security risk, ~~associated with one or more of the first or second elements~~ wherein the indication of a security risk comprises at least one of: a potential for physical, reputational, economic or legal harm and is received from government agency or a news feed ~~and wherein the security risk associated with the one or more of the first or second elements is also associated with the corresponding hierarchical level of the one or more of the first or second elements;~~

receive into the computer storage an indication of a first selection of one of the first or the ~~second~~ other multiple elements;

relate the received indication of a security risk to the first selected element;

transmit via a computer processor coupled to a communication network, a description of the security risk as it relates to the first selected element, wherein the

relationship between the received indication of a security risk and the first selected element is based upon the hierarchical relationship of elements and the indication of the security risk;

receive into the computer storage an indication of a second selection of one of the first or the ~~second~~ other of the multiple elements, wherein the second selection is different than the first selection;

relate the received indication of a security risk to the second selected element; and

transmit via the computer processor coupled to a communication network apparatus, a description of the security risk as it relates to the second selected element, wherein the relationship between the received indication of a security risk and the second selected element is based upon the hierarchical relationship of the first and the ~~second~~ other multiple elements and the indication of the security risk, thereby providing a mechanism for a user to traverse between the first and ~~second~~ the other of the multiple elements based on the hierarchical relationship between the ~~two or more~~ multiple elements.

16. (Previously Presented) Computer executable program code residing on a computer-readable medium, the program code comprising instructions for causing the computer to:

set a hierarchical relationship in a computer storage between ~~two or more~~ multiple elements comprising an entity wherein a first element of a first hierarchical level comprises a physical facility and a ~~second element of a second~~ other of the multiple elements each has a hierarchical level subordinate to the first element and comprises [[a]] one of a facility, a resource, and an asset located at the physical facility of the first element;

receive into the computer storage on a real time basis an indication of a security risk, ~~associated with one or more of the first or second elements~~ wherein the indication of a security risk comprises at least one of: a potential for physical, reputational,

economic or legal harm and is received from government agency or a news feed ~~and wherein~~
the security risk associated with the one or more of the first or second elements is also
associated with the corresponding hierarchical level of the one or more of the first or second
elements;

receive into the computer storage an indication of a first selection of one of the
first or the ~~second~~ other multiple elements; [[and]]

relating the received indication of a security risk to the first selected element;

transmit via a computer processor coupled to a communication network, a
description of the security risk as it relates to the first selected element, wherein the
relationship between the received indication of a security risk and the first selected element is
based upon the hierarchical relationship of elements and the indication of the security risk;

receive into the computer storage an indication of a second selection of one of
the first or the ~~second~~ other of the multiple elements, wherein the second selection is
different than the first selection;

relating the received indication of a security risk to the second selected
element; and

transmit via the computer processor coupled to a communication network
apparatus, a description of the security risk as it relates to the second selected element,
wherein the relationship between the received indication of a security risk and the first
selected element is based upon the hierarchical relationship of the first and the ~~second~~ other
multiple elements and the indication of the security risk, thereby providing a mechanism for a
user to traverse between the first and ~~second~~ the other of the multiple elements based on the
hierarchical relationship between the ~~two or more~~ multiple elements.

17. (Canceled)

18. (Canceled)